

05-9544-Z5-CM

V0

## BASIC LED Wall fixture

Designer: Josep Patsí

**Description**

Wall light for outdoor use.


For frontal lighting and downlighting. Suitable for installation in marine environments. Structure material: Polypropylene. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Semitransparent. UV protection. Warranty: 5 Years.

**Finish**

Urban grey  
Semitransparent

**Material**

Polypropylene  
Polycarbonate

**TECHNICAL CHARACTERISTICS****Light source**

Light source: LED SUNPU  
Output (W): 7.5W  
Color temperature: Neutral white - 4000K  
CRI: 80  
Photobiological risk: RG0  
Real Lumen: 427  
Qty Leds: 49  
Lm/Real W: 61  
Life Time: 50.000h L70B30  
Bin / Grup: WG8 o WG9  
MacAdam steps: 3  
UGR: 14.1

**GEAR**

Brand: EAGLERISE  
Gear included: Yes, electronic  
Voltage / Frequency: 100-240 VAC  
Power Factor: 0.80



**Luminaire**

Double cable exit: No  
Drainage: No  
Seaside: Yes  
Uv Protection: Yes  
Warranty: 5 Years


**Logistics**

Energy Efficiency: LED A++  
EAN Code: 8435381462949  
Net Weight (Kg): 0.475  
Weight in Kg (packaged): 0.605  
Packing: 230 x 135 x 95  
Masterbox: 12


The photograph may not match the reference exactly. Please read the product description to identify the finish.



PC SEMITRASPARENTE MATE  
SEMITRASPARENT MATT PC



POLIPROPILENO  
POLYPROPYLENE



PLANTILLA DE INSTALACIÓN  
INSTALLATION TEMPLATE

