
MICENAS LED Wall recessed

**Description**

Wall recessed for outdoor use.


For frontal lighting and downlighting. Includes flush-mounting box. Includes 2 cable outlets to facilitate chain mounting. Structure material: High purity aluminium. Structure finish: Grey. Diffuser material: Glass. Diffuser finish: Partly-sandblasted. UV protection. Warranty: 5 Years. Ta max: 50°C.

Finish

Grey
Partly-sandblasted

Material

High purity aluminium
Glass

**TECHNICAL CHARACTERISTICS****Light source**

Light source: LED OSRAM
Output (W): 20W
Total power consumption (W): 22.5W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 504
Qty Leds: 18
Lm/Real W: 22
Life Time: 50.000h L70B30
Bin / Grup: 7S o 7T
MacAdam steps: 3
Photobiological risk: RG1

GEAR

Brand: EAGLERISE
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz
Power Factor: 0.96


Luminaire

Double cable exit: Yes
Drainage: No
Uv Protection: Yes
Warranty: 5 Years
Ta max: 50°C


Logistics

Energy Efficiency: LED A++
EAN Code: 8435381454722
Net Weight (Kg): 2.115
Weight in Kg (packaged): 2.304
Packing: 270 x 260 x 115
Masterbox: 4

The photograph may not match the reference exactly. Please read the product description to identify the finish.



CAJA DE EMPOTRAR DE PP
PP FLUSH FITTING BOX



CAJA DE EMPOTRAR
FLUSH FITTING BOX

