


### CUBE Spotlight



#### Description





LED Spotlight for outdoor use.

With adjustable lighting positioning. Structure with double body design to prevent heat generated by the LED affecting the useful life of the driver. Includes 2 cable outlets to facilitate chain mounting. Adjustable light source. Structure material: High purity aluminium. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Transparent. UV protection. Warranty: 5 Years.



**Finish**  
Urban grey  
Transparent

**Material**  
High purity aluminium  
Polycarbonate

 IP65 IK10
  61°
  ±90°
  4

#### TECHNICAL CHARACTERISTICS

##### Light source

Light source: LED CREE  
 Output (W): 54W  
 Total power consumption (W): 62  
 Color temperature: Neutral white - 4000K  
 CRI: 75  
 Photobiological risk: RG2  
 Real Lumen: 4139  
 Qty Leds: 16  
 Lm/Real W: 67  
 Life Time: 50.000h L90B10  
 Bin / Grup: 5A3 o 5D2  
 MacAdam steps: 3  
 UGR: 22.8

##### GEAR

Brand: HEP  
 Gear included: Yes, electronic  
 Voltage / Frequency: 100-240 VAC  
 Power Factor: 0.90

##### Luminaire

Double cable exit: Yes  
 Drainage: No  
 Uv Protection: Yes  
 Warranty: 5 Years

##### Logistics

Energy Efficiency: LED A++  
 EAN Code: 8435381455729  
 Net Weight (Kg): 2.318  
 Weight in Kg (packaged): 2.650  
 Packing: 235 x 170 x 180  
 Masterbox: 4

The photograph may not match the reference exactly. Please read the product description to identify the finish.


## OPTIONAL ACCESSORIES

---




**71-9943-Z5-Z5**


Structure material: Aluminium  
Net Weight (Kg): 0.120





PC TRANSPARENTE  
TRANSPARENT PC



ALUMINIO  
ALUMINIUM



ALUMINIO INYECTADO  
INJECTED ALUMINIUM



PLANTILLA DE INSTALACIÓN  
INSTALLATION TEMPLATE

