


CUBE RGB EASY+ Spotlight



Description

LED Spotlight for outdoor use.

For downlighting.. Structure with double body design to prevent heat generated by the LED affecting the useful life of the driver. Includes 2 cable outlets to facilitate chain mounting. Adjustable light source. Structure material: High purity aluminium. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Transparent. UV protection. Warranty: 5 Years. Ta max: 50°C.



Finish

Urban grey
Transparent

Material

High purity aluminium
Polycarbonate



TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
Output (W): 20W
Color temperature: Led RGB
Real Lumen: 930
Qty Leds: 9
Lm/Real W: 47
Life Time: 50.000h L90B10
Bin / Grup: RGB
MacAdam steps: 3
UGR: 2.6
Photobiological risk: RG2

GEAR

This item requires gear. It is not included.
Voltage / Frequency: 24 VDC
Dimming protocol: RGB EASY+

Luminaire

Double cable exit: Yes
Drainage: No
Uv Protection: Yes
Warranty: 5 Years
Ta max: 50°C

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381463076
Net Weight (Kg): 1.525
Weight in Kg (packaged): 1.780
Packing: 200 x 155 x 170
Masterbox: 4

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-9487-Z5-Z5V1

Structure material: Galvanized steel
Net Weight (Kg): 0.790



71-9816-00-00

Structure material: Polycarbonate, ABS
Dimensions: 175 x 298 x 100
Net Weight (Kg): 2.045




71-9817-00-00

Structure material: Polycarbonate, ABS
Dimensions: 175 x 298 x 100
Net Weight (Kg): 1.895




71-9942-Z5-Z5


Structure material: Aluminium
Net Weight (Kg): 0.073




PC TRANSPARENTE
TRANSPARENT PC



ALUMINIO
ALUMINIUM



ALUMINIO INYECTADO
INJECTED ALUMINIUM



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

