


CUBE RGB EASY+ Spotlight



Description

LED Spotlight for outdoor use.

With adjustable lighting positioning. Structure with double body design to prevent heat generated by the LED affecting the useful life of the driver. Includes 2 cable outlets to facilitate chain mounting. Adjustable light source. Structure material: High purity aluminium. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Transparent. UV protection. Warranty: 5 Years. Ta max: 50°C.



Finish

Urban grey
Transparent

Material

High purity aluminium
Polycarbonate



TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
Output (W): 20W
Color temperature: Led RGB
Real Lumen: 831
Qty Leds: 9
Lm/Real W: 42
Life Time: 50.000h L90B10
Bin / Grup: RGB
MacAdam steps: 3
UGR: 5.7
Photobiological risk: RG2

GEAR

This item requires gear. It is not included.
Voltage / Frequency: 24 VDC
Dimming protocol: RGB EASY+

Luminaire

Double cable exit: Yes
Drainage: No
Uv Protection: Yes
Warranty: 5 Years
Ta max: 50°C

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381463083
Net Weight (Kg): 1.525
Weight in Kg (packaged): 1.780
Packing: 200 x 155 x 170
Masterbox: 4

OPTIONAL ACCESSORIES



71-9487-Z5-Z5V1

Structure material: Galvanized steel
Net Weight (Kg): 0.790



71-9816-00-00

Structure material: Polycarbonate, ABS
Dimensions: 175 x 298 x 100
Net Weight (Kg): 2.045




71-9817-00-00

Structure material: Polycarbonate, ABS
Dimensions: 175 x 298 x 100
Net Weight (Kg): 1.895




71-9942-Z5-Z5


Structure material: Aluminium
Net Weight (Kg): 0.073




PC TRANSPARENTE
TRANSPARENT PC



ALUMINIO
ALUMINIUM



ALUMINIO INYECTADO
INJECTED ALUMINIUM



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

