

### SKADE Spotlight



#### Description

LED Spotlight for outdoor use.


With adjustable lighting positioning. Adjustable light source. Structure material: Aluminium. Structure finish: Grey. Diffuser material: Glass. Diffuser finish: Transparent. UV protection. Warranty: 5 Years.






#### Finish

Grey  
Transparent

#### Material

Aluminium  
Glass



 IP65 IK09
  120°
  ±90°
  360°
  6

#### TECHNICAL CHARACTERISTICS

##### Light source

Light source: LED CREE  
 Output (W): 21W  
 Total power consumption (W): 26.8  
 Color temperature: Warm White - 3000K  
 CRI: 80  
 Real Lumen: 2512  
 Qty Leds: 1  
 Lm/Real W: 94  
 Life Time: 50.000h L90B10  
 Bin / Grup: 30H  
 MacAdam steps: 2  
 UGR: 26.8  
 Photobiological risk: RG1

##### GEAR

Brand: EAGLERISE  
 Gear included: Yes, electronic  
 Voltage / Frequency:  
 100-240VAC/50-60Hz  
 Power Factor: 0.92

##### Luminaire


Double cable exit: No  
 Drainage: No  
 Uv Protection: Yes  
 Warranty: 5 Years

##### Logistics


Energy Efficiency: LED A++  
 EAN Code: 8435381455804  
 Net Weight (Kg): 1.260  
 Weight in Kg (packaged): 1.705  
 Packing: 215 x 140 x 300  
 Masterbox: 6

The photograph may not match the reference exactly. Please read the product description to identify the finish.



ALUMINIO INYECTADO  
INJECTED ALUMINIUM



ALUMINIO INYECTADO  
INJECTED ALUMINIUM



CRISTAL TRANSPARENTE  
TRANSPARENT GLASS



PLANTILLA DE INSTALACIÓN  
INSTALLATION TEMPLATE

