


CUBIK Led Beacon



Description

Bollard for outdoor use.

For downlighting. Structure material: Aluminium. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Matt. UV protection. Warranty: 5 Years.

Finish

Urban grey
Matt

Material

Aluminium
Polycarbonate



TECHNICAL CHARACTERISTICS

Light source

Light source: LED OSRAM
Output (W): 15W
Total power consumption (W): 16.2 W
Color temperature: Warm White - 3000K
CRI: 82
Photobiological risk: RG1
Real Lumen: 833
Qty Leds: 21
Lm/Real W: 51
Life Time: 50.000h L70B30
Bin / Grup: 7S o 7T
MacAdam steps: 3
UGR: 13.4

GEAR

Voltage / Frequency: 100-240 VAC
Power Factor: 0.90




Luminaire

Double cable exit: No
Drainage: No
Uv Protection: Yes
Warranty: 5 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381458584
Net Weight (Kg): 5.965
Weight in Kg (packaged): 6.638
Packing: 165 x 165 x 1005
Masterbox: 2

The photograph may not match the reference exactly. Please read the product description to identify the finish.



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

