


CONVERT Recessed RGB EASY+ Uplight recessed




Description

Wholly lit wall effect for outdoor use.

For asymmetrical lighting. Includes 2 cable outlets to facilitate chain mounting. Structure material: Extruded aluminium. Structure finish: Anodized. Diffuser material: Glass. Diffuser finish: Transparent. UV protection. Warranty: 2 Years.

Finish
Anodized
Transparent

Material
Extruded aluminium
Glass



TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
Output (W): 33W
Color temperature: Led RGB
CRI: 80
Real Lumen: 1392
Qty Leds: 27
Lm/Real W: 42
Life Time: 50.000h L70B30
Bin / Grup: RGB
MacAdam steps: 3
UGR: 8.0
Photobiological risk: RG2

GEAR

This item requires gear. It is not included.
Voltage / Frequency: 24 VDC
Dimming protocol: RGB EASY+

Luminaire

Double cable exit: Yes
Drainage: Yes
Recessed: Si
Uv Protection: Yes
Warranty: 2 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381462420
Net Weight (Kg): 6.465
Weight in Kg (packaged): 7.303
Packing: 1070 x 160 x 160
Masterbox: 2

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES





71-9816-00-00

Structure material: Polycarbonate, ABS
Dimensions: 175 x 298 x 100
Net Weight (Kg): 2.045



71-9817-00-00

Structure material: Polycarbonate, ABS
Dimensions: 175 x 298 x 100
Net Weight (Kg): 1.895



CAJA DE EMPOTRAR
FLUSH FITTING BOX

