

SAN-1C-E60

V0


SANAT Spotlight



Description





Wholly lit wall effect for indoor and outdoor use.

For uplighting. Includes 2 cable outlets to facilitate chain mounting. Adjustable light source. Structure material: Aluminium. Structure finish: Anodized. Diffuser material: Glass. Diffuser finish: Transparent. UV protection. Warranty: 2 Years.



Finish
Anodized
Transparent

Material
Aluminium
Glass

 IP65
  10x35°
  ±90°
  4

TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
 Output (W): 70W
 Total power consumption (W): 82
 Color temperature: led RGBW
 CRI: 80
 Real Lumen: 3506
 Qty Leds: 36
 Lm/Real W: 43
 Life Time: 50.000h L70B30
 Bin / Grup: RGB
 MacAdam steps: 3
 UGR: 12.6
 Photobiological risk: RG2

GEAR

Brand: MEANWELL
 Gear included: Yes, electronic
 Voltage / Frequency:
 100-240VAC/50-60Hz
 Power Factor: 0.90
 Dimming protocol: DMX

Luminaire

Double cable exit: Yes
 Drainage: No
 Uv Protection: Yes
 Warranty: 2 Years

Logistics

Energy Efficiency: LED A++
 EAN Code: 8435381429140
 Net Weight (Kg): 5.000
 Weight in Kg (packaged): 6.000
 Packing: 1040 x 115 x 125
 Masterbox: 4

The photograph may not match the reference exactly. Please read the product description to identify the finish.

