

SAN-1N-S25

V0


SANAT Spotlight



Description


Wholly lit wall effect for indoor and outdoor use.

For uplighting. Includes 2 cable outlets to facilitate chain mounting. Adjustable light source. Structure material: Aluminium. Structure finish: Anodized. Diffuser material: Glass. Diffuser finish: Transparent. UV protection. Warranty: 2 Years.



Finish
Anodized
Transparent

Material
Aluminium
Glass



TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
Output (W): 70W
Total power consumption (W): 81
Color temperature: Neutral white - 4000K
CRI: 80
Real Lumen: 5431
Qty Leds: 36
Lm/Real W: 67
Life Time: 50.000h L70B30
Bin / Grup: 5A3 o 5D2
MacAdam steps: 3
UGR: 10.5
Photobiological risk: RG2

GEAR

Brand: MEANWELL
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz
Power Factor: 0.90
Dimming protocol: DMX

Luminaire

Double cable exit: Yes
Drainage: No
Uv Protection: Yes
Warranty: 2 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381429201
Net Weight (Kg): 5.000
Weight in Kg (packaged): 6.000
Packing: 1040 x 115 x 125
Masterbox: 4

The photograph may not match the reference exactly. Please read the product description to identify the finish.

