



AG22-AAG1NABU14

V0

PLAY OPTICS Downlight recessed**Description**

Downlight for indoor use.

Very versatile with multiple types of installation possible. Up to 40,000 possible combinations. Lenses allow optimum control of illumination with minimal residual halo. Structure material: Polycarbonate, Aluminium. Structure finish: White. Warranty: 5 Years.



⌀65

0-20mm

Finish
White

Material
Polycarbonate
Aluminium

IP65 100

TECHNICAL CHARACTERISTICS**Light source**

Lampholder: 1 x GU10
Output (W): MAX 15W
Quantity: 1

GEAR

Voltage / Frequency:
220-240VAC/50-60Hz
Power Factor: 1.00

Luminaire

Recessed: No
Warranty: 5 Years


Recommended lamp: ACT-FLL-027

Logistics

Energy Efficiency: NO BULB
EAN Code: 8435526805129
Net Weight (Kg): 0.200
Weight in Kg (packaged): 0.321
Packing: 130 x 90 x 50
Masterbox: 100

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-5166-60-00V1

20 x Honeycomb

Structure material: Aluminium
Dimensions: 47 x 0 x 2
Net Weight (Kg): 0.005



71-5167-00-00V1

20 x Elliptical diffuser

Structure material: Polycarbonate
Dimensions: 47 x 0 x 2
Net Weight (Kg): 0.005



71-5658-00-00

20 x Square diffuser

Structure material: Polycarbonate
Dimensions: 47 x 0 x 2
Net Weight (Kg): 0.080



71-4754-14-00V1

Visual comfort accessory (Optional)

Structure material: Polycarbonate
Dimensions: 52 x 0 x 27
Net Weight (Kg): 0.010




71-4754-60-00V1

Visual comfort accessory (Optional)



Structure material: Polycarbonate
Dimensions: 52 x 0 x 27
Net Weight (Kg): 0.010

Aluminum


Ø39



PPS



Ø65mm




0-20mm


Scale 1:1

07-09-17


1



2



3



4

